

4

3

2

CAGEC
1K3H5

DWG NO

700218

SH


REV

-

1

REVISIONS

| REV | DESCRIPTION | DATE | APPROVED |
|-----|-------------|------|----------|
| | | | |
| | | | |
| | | | |
| | | | |



B


B

A

A

①
R .032 TYP
8 PL
(PLATED THRU)

RF OR GND (TBD) 6 PL



CONTACT I/O
(TOP VIEW)

① Location of plated thru holes are to be held at +/- .005.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BREE ENGINEERING. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BREE ENGINEERING IS PROHIBITED.

| | | | |
|--|---|-----------------|---|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES & TOLERANCES ARE: .XXX .XX ANGLES ±.005 ±.01 | CAD GENERATED DRAWING DO NOT MANUALLY UPDATE | | BEE BREE ENGINEERING |
| | DWN LN | DATE 1/17/13 | |
| MATERIAL Nelco 400-13-EP | CHK | | OUTLINE |
| | RESP ENG | | |
| | MFG ENG | | |
| FINISH Nickel | QUAL ENG | | SIZE CAGE CODE DWG NO B 1K3H5 700218 |
| | Scale for REFERENCE ONLY | | REV - SCALE 4:1 SHEET 1 OF 1 |

4

3

2

1